



- YOKE Swivels are manufactured using the highest grade of material available.
- YOKE Swivels are designed with a safety factor of 5:1.
- YOKE Swivels are available in sizes from 3/4 Tons to 35 Tons.
- YOKE Swivels are available for wire lines 1/4" to 1-1/2".
- YOKE Swivels are zinc plated for corrosion resistance and longer life.
- YOKE Swivels are manufactured with grease fittings for superior performance.
- YOKE Swivels are designed for low starting torque and high rotation speed.
- All Swivels parts are 100% magnaflux crack detected.
- 20,000 cycle fatigue rate to 1.5 times working load limit.
- All parts with batch number for quality certified and traceability.

Item No.	Wire Line Size	Working Load Limit	Dimensions (inch)							N.W.
	inch		Tons*	B	K	L	C	A	D	
8-301-0075	1/4	0.75	1.30	4.00	5.00	0.50	0.60	0.40	0.90	1.1
8-301-015	3/8	1.5	1.60	4.40	5.70	0.60	0.70	0.50	1.00	1.7
8-301-03	1/2	3	2.00	6.30	8.00	0.90	0.90	0.60	1.20	4.4
8-301-05	5/8	5	2.50	8.00	10.30	1.20	1.30	0.90	1.50	8.7
8-301-085	3/4	8.5	3.00	9.50	12.30	1.40	1.50	1.00	2.00	14.8
8-301-10	7/8	10	4.00	12.50	16.00	1.80	1.70	1.50	2.10	40.0
8-301-15	1	15	4.30	12.50	16.00	1.80	2.00	1.50	2.20	46.2
8-301-25	1 1/4	25	5.20	14.70	19.50	2.40	2.50	2.00	2.70	80.5
8-301-35	1 1/2	35	5.20	14.70	19.50	2.40	2.50	2.00	2.70	94.4

★ Minimum Ultimate Load is 5 times the Working Load Limit.
 Maximun Proof Load is 2 times the Working Load Limit.

Item No.	Wire Line Size	Working Load Limit	Dimensions (mm)							N.W.
	mm		Tons*	B	K	L	C	A	D	
8-301-0075	6	0.75	32	103	126	12	15	10	22	0.5
8-301-015	10	1.5	40	112	144	16	18	11	26	0.8
8-301-03	13	3	51	159	203	23	23	16	31	2.0
8-301-05	16	5	64	200	262	31	32	22	37	4.0
8-301-085	19	8.5	76	242	312	35	37	25	50	6.7
8-301-10	22	10	102	317	408	46	42	38	53	18.2
8-301-15	25	15	108	317	408	46	48	38	56	21.0
8-301-25	32	25	132	374	495	61	62	51	69	36.5
8-301-35	38	35	132	374	495	61	62	51	69	42.9

★ Minimum Ultimate Load is 5 times the Working Load Limit.
 Maximun Proof Load is 2 times the Working Load Limit.



Industrial Rigging & Supply